# Acoustical Solutions by Design


## Designtex


Ideal for architectural acoustic systems

Quick Ship Program

No Antimicrobials No Flame Retardants Compatible with Disinfectants HPD Meets Mindful Materials Sustainability Criteria Prop 65 Compliant Meets WELL Building Standards









3468-305

3797-103

3747-803

### Acoustical Solutions by Design

Style Name	Style #	Content	Finish	Cleaning	Width	Abrasion	Recycled Content	Price Guide
Birdseye	4142	82% Polyester (Postconsumer Recycled), 18% Polyester	None	Water-based/ Solvent (WS)	54 inches (137 cm)	100,000 Wyzenbeek double rubs (CD)	•	\$
Brushed Flannel	3797	100% Polyester	None	Water-based/ Solvent (WS)	56 inches (142 cm)	45,000 Martindale cycles		\$
Crossweave	3762	66% Polyester (Postconsumer Recycled, Solution Dyed), 34% Polyester	None	Water-based/ Solvent (WS)	54 inches (137 cm)	100,000 Wyzenbeek double rubs (CD)	٠	\$\$
Gamut	3468	100% Polyester (Postconsumer Recycled)	Stain Repellent	Water-based/ Solvent (WS)	54 inches (137 cm)	100,000 Wyzenbeek double rubs (CD)	•	\$
Reppweave	3747	100% Polyester	Stain Repellent	Water-based/ Solvent (WS)	54 inches (137 cm)	100,000 Wyzenbeek double rubs (CD)		\$\$
Rocket	2693	72% Polyester (Postconsumer Recycled), 28% Polyester	Nanotechnology Stain Resistant	Water-based/ Solvent (WS)	54 inches (137 cm)	100,000 Wyzenbeek double rubs (CD)	•	\$\$
Woolish	3973	85% Polyester (Postconsumer Recycled), 15% Polyester	Nanotechnology Stain Resistant	Water-based/ Solvent (WS)	54 inches (137 cm)	400,000 Wyzenbeek double rubs (CD)	•	\$\$

Meets or exceeds these ACT performance standards:

Additional colorways available

For samples please call 800.221.1540

#### Nanotechnology Stain Resistant Finish

A stain resistant finish that, thanks to the light-weight nature of nanotechnology, preserves a fabric's feel. The finish also allows any bleach-treatable fabric to remain bleach cleanable.

#### **Cleaning Codes**

**WS** Clean only with water-based or solvent-based cleaner. Do not saturate. For regular maintenance of coated fabrics, always rinse the cleaned and/or disinfected area(s) with fresh water. Wipe dry and repeat if necessary.

#### **Bleach and Disinfectant Compatibility**

All products have been tested with bleach (sodium hypochlorite) and a variety of disinfectants (isopropyl alcohol, quaternary ammonium and peroxide-based). Scan the QR code below for approved disinfectants by product.

#### Abrasion

Abrasion has been tested with the Wyzenbeek method using either cotton duck (CD) or wire screen (WS) as the abradant, or the Martindale method using worsted wool as the abradant. ACT guidelines require at least 30,000 Wyzenbeek double rubs or 40,000 Martindale cycles for woven upholsteries, or 50,000 Wyzenbeek double rubs for coated upholsteries in heavy duty single-shift application. Multiple factors affect fabric durability and appearance retention, including end-user application and proper maintenance. Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan.

#### Price Guide

\$-Cost Effective, \$\$-Mid-Range, \$\$\$-Premium

#### **Quick Ship Program**

Colors on this card are part of the Quick Ship Program. Orders up to 50 yards ship the next business day.



1445 Holland Rd. Maumee, OH 43537 conwed.com

Scan code with smartphone camera for additional resources and product information



\* ACT Registered Certification Marks Designtex supports new offset projects that reduce greenhouse gas emissions for years to come