



## Eurospan

A system of three components that works in virtually any space, that creates seamless acoustical surfaces. Whether it's discrete or jaw-dropping is up to you.


## Ceiling

Eurospan can replace entire ceilings with a smooth surface, and still accommodate for extrusions such as can lights and sprinkler systems. If used in initial construction, Eurospan Ceilings only need a deck to mount to before installation. The system can additionally be retrofitted onto existing ceilings, for rooms with unexpected levels of noise.

### Core construction

Comprised of three basic components: a fiberglass acoustic core, perimeter tension track and outer textile covering. This seamless product uses a high-performance integrated acoustical core with a white matte covering. Tension tracks arranged around the perimeter hold an acoustically transparent textile which can be stretched over areas 16' wide.

1. Tension track
2. Fiberglass core
3. Fabric finish



### Thicknesses

System can be furred out to desired thickness. NAF core available for thicknesses 1" or 2".

### Mounting

- Square perimeter, edge wrap, outside corner, & mid-joint track

### Edge details

- Square
- Bevel

### Acoustic performance

The NRC of the products are determined from an average of sound absorption coefficients, obtained from tests conducted according to ASTM C423 procedures in an NVLAP accredited laboratory.

HZ →	125	250	500	1000	2000	4000	NRC ↓
1 ½" thickness	0.13	0.32	0.76	1.00	1.13	1.07	0.80
EOS 1 ½" thickness	-0.01	0.33	0.91	1.09	1.03	0.85	0.85


### Eurospan Ceiling Finishes

#### Eurospan PRIME

Designed in-house specifically for the Eurospan Ceiling System, this textile has an ideal lock knit structure & weight for easy installation and opaqueness for minimal shadowing.

#### EOS

EOS is a washable white stretch fabric that is fully compatible with the Eurospan system, with slight changes in NRC performance.



	Width	Length
<b>Eurospan PRIME</b>	10', 13', 16'	Custom
<b>Classic Eurospan Fabrics</b>	16'	Custom
<b>EOS</b>	16'	Custom

#### Compatible Brands\*

Carnegie DESIGNTEX maharam kvadrat Knoll Guilford of Maine

\*Designer textile widths vary



#### Fire Rating

Conwed products meet or exceed ASTM E84 standards for smoke development and flame spread on a component level.



#### Standard Durability

This product has a durable core construction, ideal for out-of-reach areas.



#### Shapes

This system can be made into different shapes, and bend over an axis using different track pieces. Contact Customer Service for more info on how we can support your project.



#### Connecting

This system can connect sections larger than max sizes using midseam track pieces.



#### Washable

Refer to the Maintenance & Cleaning Guide for more details.  
[conwed.com/cexp-maintenanceandcleaning](http://conwed.com/cexp-maintenanceandcleaning)

### Sustainability initiatives



For your LEED projects, our products can help you qualify for different points depending on the product you choose. Contact us to learn more detailed information. To view our certificate visit [conwed.com/cexp-LEED](http://conwed.com/cexp-LEED).

### Warranty

10-year limited warranty. Refer to warranty for more details.  
[conwed.com/cexp-eurospanwarranty/](http://conwed.com/cexp-eurospanwarranty/)



Disclaimer of liability: Technical information contained herein is furnished without charge or obligation and is given and accepted at recipient's sole risk. Conditions of use may vary and are beyond our control, and because of this Conwed makes no representation about, and is not responsible or liable for, the accuracy or reliability of data associated with particular uses of any product described herein.